



## REFERENCES



## References

- <sup>1</sup> Malina, R.M. (2001). Physical activity and fitness: Pathways from childhood to adulthood. *American Journal of Human Biology*, 13: pp. 162-172.
- <sup>2</sup> Corbin, C.B., Pangrazi, R.P. (1998). Physical activity for children: A statement of guidelines. National Association for Sport and Physical Education. Reston: VA. U.S.A.
- <sup>3</sup> Canadian Fitness and Lifestyle Research Institute. (2000). Understanding Youth Physical Activity. *The Research File*, No. 00-05. ISSN. 1188-6641.
- <sup>4</sup> Cameron, C., Wolfe, R., & Craig, C.L. (2007). *Physical activity and sport: Encouraging children to be active*. Ottawa, ON: Canadian Fitness and Lifestyle Research Institute
- <sup>5</sup> Story, M. (1999). School-based approaches for preventing and treating obesity. *International Journal of Obesity*, 23, suppl. 2, pp. S43-S51
- <sup>6</sup> Davison, K.K. & Lawson, C.T. (2006). Do attributes in the physical environment influence children's physical activity? A review of the literature. *International Journal of Behavioral Nutrition and Physical Activity*, 3:19
- <sup>7</sup> Sallis, J.F., Conway, T.L., Prochaska, J.J., McKenzie, T.L., Marshall, M.S., & Brown, M. (2001). The association of school environments with youth physical activity. *American Journal of Public Health*, 91(4): 618-620.
- <sup>8</sup> McKenzie, T.L., Sallis, J.F., Elder, J.P., Berry, C.C., Hoy, P.L., Nader, P.R., Zive, M.M., & Broyles, S.L. (1997). Physical activity levels and prompts in young children at recess: A two-year study of a bi-ethnic sample. *Research Quarterly for Exercise and Sport*, 68(3), 195-202.
- <sup>9</sup> Centers for Disease Control and Prevention. (2000). Promoting better health for young people through physical activity and sports: A report to the President from the Secretary of Health and Human Services and the Secretary of Education [On-line] Available: [http://www.cdc.gov/nccdphp/dash/healthtopics/physical\\_activity/promoting\\_health/](http://www.cdc.gov/nccdphp/dash/healthtopics/physical_activity/promoting_health/)
- <sup>10</sup> Heelan, K.A. et al. (2005). Active commuting to and from school and BMI in elementary school children – preliminary data. *Child: Care, Health & Development*, 31(3), pp. 341-349.
- <sup>11</sup> Tudor-Locke, C., Ainsworth, B.E., & Popkin, B.M. (2001). Active commuting to school – an overlooked source of children's (sic) physical activity? *Sports Med*, 31(5), pp. 309-313.
- <sup>12</sup> Sirard, J.R., Ainsworth, B.E., McIver, K.L., & Pate, R.R. (2005). Prevalence of active commuting at urban and suburban elementary schools in Columbia, SC. *American Journal of Public Health*, 95(2), pp. 236-237.
- <sup>13</sup> Lee, S.M. & Tudor-Locke, C. (2005). Active versus passive commuting to school: what children say. *American Journal of Health Studies*, 20(3/4), pp. 212-218.
- <sup>14</sup> Tudor-Locke, C., Neff, L.J., Ainsworth, B., et al. (2001). Omission of active commuting to school and the prevalence of children's health-related physical activity levels: the Russian Longitudinal Monitoring Study. *Child Care Health Dev*. 28: 507-512.
- <sup>15</sup> Cooper, A.R., Page, A.S., Foster, L.J., Qahwaji, D. (2003). Commuting to school: are children who walk more physically active? *American Journal of Preventive Medicine*, 25: 273-276.
- <sup>16</sup> Sirard, J.R., Riner Jr, W.F., McIver, K.L., Pate, R.R. (2005). Physical activity and active commuting to elementary school. *Medicine and science in sports and exercise*. 37(12): 2062-2069.
- <sup>17</sup> Centers for Disease Control and Prevention. (2001). Kids walk-to-school (online). Available: <http://www.cdc.gov/nccdphp/dupa/kidswalk/>
- <sup>18</sup> Davis, A. (1998). Walking and safer routes to school. *Traffic Engineering & Control*, 31(3), pp. 171-173.
- <sup>19</sup> Fein, A.J., Plotnikoff, R.C., Wild, C., & Spence, J.C. (2004). Perceived environment and physical activity in youth. *International Journal of Behavioral Medicine*, 11(3): 135-142.

- 
- <sup>20</sup> Stratton, G. & Mullan, E. (2005). The effect of multicolour playground markings on children's physical activity level during recess. *Preventive Medicine*;41(5-6):828-33.
- <sup>21</sup> Poest, C.A., Williams, J.R., Witt, D.D., & Atwood, M.E. (1989). Physical activity patterns of preschool children. *Early Childhood Research Quarterly*, 4, 367-376.
- <sup>22</sup> Dwyer JJ, Allison KR, LeMoine KN, Adlaf EM, Goodman J, Faulkner GE, Lysy DC. (2006). A provincial study of opportunities for school-based physical activity in secondary schools. *Journal of Adolesc Health*; 39(1):80-6.
- <sup>23</sup> Kolbe, L.J., Tirozzi, G.N., Marx, E., Bobbitt-Cooke, M., Riedel, S., Jones, J. & Schmoyer, M. (2005). Health programs for school employees: improving quality of life, health and productivity. *Promotion and Education*: 12(3-4), pp. 157-161.
- <sup>24</sup> Directors of Health Promotion and Education. (In press). Protecting our assets: Promoting and preserving school employee wellness. Reston, Virginia: *Directors of Health Promotion and Education*.
- <sup>25</sup> Centers for Disease Control and Prevention. (1997). Guidelines for school and community programs to promote lifelong physical activity among young people. *Morbidity and Mortality Weekly Reports: Recommendations and Reports*: 46(RR-6); 1-36.
- <sup>26</sup> Austin, SB., Fung, T., Cohen-Bearak, A., Wardle, K., & Cheung, L.W. (2006). Facilitating change in school health: a qualitative study of schools' experiences using the School Health Index. *Prev Chronic Dis*: 3(2): A35
- <sup>27</sup> Smith, BJ., Potts-Datema, W., & Nolte, AE. (2005). Challenges in teacher preparation for school health education and promotion. *Promotion and Education*: 12(3-4): 162-4.
- <sup>28</sup> Brachlow, M., & Sullivan, P. (2006). Instilling coaching confidence through coach education programs in Canada. *Canadian Journal of Sport Science and Coaching*. 1(1) On-line: Available at <http://www.coach.ca/eng/sportscience/journal/May2006/content.cfm>
- <sup>29</sup> Canadian Association for Health, Physical Education, Recreation, and Dance. (2007). Quality Daily Physical Education. [On-line]. Available: [http://www.cahperd.ca/eng/physicaleducation/about\\_qdpe.cfm](http://www.cahperd.ca/eng/physicaleducation/about_qdpe.cfm)
- <sup>30</sup> McKenzie, T.L., Nader, P.R., Strikmiller, M.S., Yang, M. et al. (1996). School physical education: Effect of the Adolescent Trial for Cardiovascular Health. *Preventive Medicine*, 25, 423-431.
- <sup>31</sup> Bailey R. (2006). Physical education and sport in schools: a review of benefits and outcomes. *Journal of School Health*; 76(8): 397-401.
- <sup>32</sup> Sallis, J.F., McKenzie, T.L., Alcaraz, J.E., Kolody, B., Faucette, N., & Hovell, M.F. (1997). The effects of a 2-year physical education program (SPARK) on physical activity and fitness in elementary school students. *American Journal of Public Health*, 87(8), 1328-1334.
- <sup>33</sup> Stone, E.J., McKenzie, T.L., Welk, G.J. & Booth, M.L. (1998). Effects of physical activity interventions in youth: Review and synthesis. *American Journal of Preventive Medicine*, 15(4), 298-315.
- <sup>34</sup> Wechsler, H., Devereaux, A.B., Davis, M. & Collins, J. (2000). Using the school environment to promote physical activity and healthy eating. *Preventive Medicine*, 31, S121-S137.
- <sup>35</sup> Chan, CB., Ryan, DAJ., Tudor-Locke, C. (2006). Relationship between objective measure of physical activity and weather: a longitudinal study. *International Journal of Behavioral Nutrition and Physical Activity*, 3:21
- <sup>36</sup> Willms, J.D., Tremblay, M.S., & Katzmarzyk, P.T. (2003). Geographic and demographic variation in the prevalence of overweight Canadian children. *Obesity Research*; 11(5): 668-73.
- <sup>37</sup> Centers for Disease Control and Prevention (CDC) (2007). Participation in high school physical education--Ontario, Canada, 1999-2005. *Morbidity and Mortality Weekly Report*. 56(3):52-4.
- <sup>38</sup> Trudeau F, Shephard RJ. (2005). Contribution of school programmes to physical activity levels and attitudes in children and adults. *Sports Medicine*. 35(2): 89-105.

- 
- <sup>39</sup> WHO European Working Group on Health Promotion Evaluation. Health Promotion Evaluation: Recommendations to Policymakers. Copenhagen: World Health Organization; 1998.
- <sup>40</sup> US Department of Health and Human Services (2002). *Physical Activity Evaluation Handbook*. Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention.
- <sup>41</sup> Canadian Fitness and Lifestyle Research Institute. (1996). Partners for physical activity. *Progress in Prevention*, bulletin no. 11.
- <sup>42</sup> Sallis, J.F., Prochaska, J.J., & Taylor, W.C. (2000). A review of correlates of physical activity of children and adolescents. *Medicine and Science in Sports and Exercise*, 32 (5): 963-975.
- <sup>43</sup> U.S. Department of Health and Human Services. (1996). *Physical Activity and Health: A Report of the Surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, S/N 017-023-00196-5.
- <sup>44</sup> Duncan, S.C., Duncan, T.E., & Strycker, L.A. (2005). Sources and types of social support in youth physical activity. *Health Psychology*, 24 (1): 3-10.
- <sup>45</sup> Wagner, A., Klein-Platat, C., Arveiler, D., Haan, MC, Schlienger, J.L., & Simon, C. (2004). Parent-child physical activity relationships in 12 year old French students do not depend on family socioeconomic status. *Diabetes Metab*, 30: 359-366.
- <sup>46</sup> Statistics Canada. (2000, September 12). Canadian social trends: Children's participation in sports. *The Daily* [Online serial]. Available: <http://www.statcan.ca:80/Daily/English/000912/d000912a.htm>.